

L Number	Hits	Search Text	DB	Time stamp
-	1050	(detect\$4 or identif\$7 or determin\$7 or recogniz\$7 or watch\$5)near4 (unrespon\$6 or ("not" adj respon\$6) or non\$respon\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:06
-	19	((detect\$4 or identif\$7 or determin\$7 or recogniz\$7 or watch\$5)near4 (unrespon\$6 or ("not" adj respon\$6) or non\$respon\$6)) and (watchdog)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 09:02
-	251	((detect\$4 or identif\$7 or determin\$7 or recogniz\$7 or watch\$5)near4 (unrespon\$6 or ("not" adj respon\$6) or non\$respon\$6)) and ((application or program or code)with (computer or OS or processor or microprocessor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 08:30
-	17	((detect\$4 or identif\$7 or determin\$7 or recogniz\$7 or watch\$5)near4 (unrespon\$6 or ("not" adj respon\$6) or non\$respon\$6)) and ((application or program or code)with (computer or OS or processor or microprocessor))) and (watchdog)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 08:31
-	17	((detect\$4 or identif\$7 or determin\$7 or recogniz\$7 or watch\$5)near4 (unrespon\$6 or ("not" adj respon\$6) or non\$respon\$6)) and ((application or program or code)with (computer or OS or processor or microprocessor))) and (watchdog)) and (periodic\$5 or regular or interval)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 08:31
-	9	((detect\$4 or identif\$7 or determin\$7 or recogniz\$7 or watch\$5)near4 (unrespon\$6 or ("not" adj respon\$6) or non\$respon\$6)) same (watchdog)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 09:02
-	4	(detect\$4 near3 (unrespon\$7 or non\$repon\$6 or ("not" near2 respon\$7)))near6 ((application or software)near3 computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 09:05
-	4	(detect\$4 near3 (unrespon\$7 or non\$repon\$6 or ("not" near2 respon\$7)))near6 ((application or software or service)near3 computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 09:05
-	20	((detect\$4 or identif\$7 or determin\$7 or recogniz\$7 or watch\$5)near4 (unrespon\$6 or ("not" adj respon\$6) or non\$respon\$6)) same ((application or program or code)with (computer or OS or processor or microprocessor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 09:06
-	1096	((protect\$4 or prevent\$4 or fail\$over or fail\$safe or (fail adj2 (safe or over)))near6 (hang or hung or indetermin\$4 or stuck or lock))with (computer or processor or microprocessor or microcontroller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 09:14
-	0	((protect\$4 or prevent\$4 or fail\$over or fail\$safe or (fail adj2 (safe or over)))near6 (hang or hung or indetermin\$4 or stuck or lock))with (computer or processor or microprocessor or microcontroller)) and ((detect\$4 or identif\$7 or determin\$7 or recogniz\$7 or watch\$5)near4 (unrespon\$6 or ("not" adj respon\$6) or non\$respon\$6 or ("not" adj (ack\$7 or repl\$6))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 09:14

-	0	((protect\$4 or prevent\$4 or fail\$over or fail\$safe or (fail adj2 (safe or over)))near6 (hang or hung or indetermin\$4 or stuck or lock))with (computer or processor or microprocessor or microcontroller)) and (watchdog adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 09:12
-	1050	(detect\$4 or identif\$7 or determin\$7 or recogniz\$7 or watch\$5)near4 (unrespon\$6 or ("not" adj respon\$6) or non\$respon\$6 or ("not" adj (ack\$7 or repl\$6)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 09:13
-	106	((protect\$4 or prevent\$4 or fail\$over or fail\$safe or (fail adj2 (safe or over)))near6 (hang or hung or indetermin\$4 or stuck or lock))with (computer or processor or microprocessor or microcontroller)) same (application or software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 09:15
-	0	(os or (operating adj system))near5 ((two or multiple)adj3 (protective adj (level or layer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:08
-	0	(os or (operating adj system))with ((two or multiple)adj3 (protective adj (level or layer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:08
-	0	(os or (operating adj system))same ((two or multiple)adj3 (protective adj (level or layer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:09
-	13	(os or (operating adj1 system))and ((two or multiple)adj3 (protective adj (level or layer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:12
-	2679	((initiat\$4 or initiali\$7 or start\$4 or generat\$4 or send\$4)near6 (periodic\$5 or regular\$3 or (predetermined adj (time or period or interval))))near6 message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:47
-	172	((initiat\$4 or initiali\$7 or start\$4 or generat\$4 or send\$4)near6 (periodic\$5 or regular\$3 or (predetermined adj (time or period or interval))))near6 message) with (application or software or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:16
-	7763	((application or software or program)near4(initiat\$4 or initiali\$7 or start\$4 or generat\$4 or send\$4))near3 message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:17
-	90	((application or software or program)near4(initiat\$4 or initiali\$7 or start\$4 or generat\$4 or send\$4))near3 message) with (periodic\$5 or regular\$3 or (predetermined adj (time or period or interval)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:18
-	2	((application or software or program)near4(initiat\$4 or initiali\$7 or start\$4 or generat\$4 or send\$4))near3 message) with (periodic\$5 or regular\$3 or (predetermined adj (time or period or interval)))) same (reset or restart)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:19

-	13	((((application or software or program)near4(initiat\$4 or initiali\$7 or start\$4 or generat\$4 or send\$4))near3 message) with (periodic\$5 or regular\$3 or (predetermined adj (time or period or interval)))) same (timer or counter or watchdog)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:34
-	18746	(watchdog or supervis\$4 or monitor\$4)near3 (timer or counter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:35
-	36	((watchdog or supervis\$4 or monitor\$4)near3 (timer or counter)) same (((application or software or program)near3 (initiat\$4 or initil\$7 or start\$4 or generated)) near6 (message or interrupt))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:37
-	8	((watchdog or supervis\$4 or monitor\$4)near3 (timer or counter)) same (((application or software or program)near3 (initiat\$4 or initil\$7 or start\$4 or generated)) near6 (message or interrupt))) same (reset\$4 or restart\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:45
-	28569	((application or program) near3 (watchdog or timer or counter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:47
-	7	((application or program) near3 (watchdog or timer or counter))) same (((initiat\$4 or initiali\$7 or start\$4 or generat\$4 or send\$4)near6 (periodic\$5 or regular\$3 or (predetermined adj (time or period or interval))))near6 message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:48
-	4	((application or program) near3 (watchdog or timer or counter))) same(( monitor\$4 or observ\$7 or receiv\$4) near4 ((periodic\$5 or regular\$3 or (predetermined adj (time or period or interval))))near6 message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:51
-	4	((application or program) near3 (watchdog or timer or counter))) same (( monitor\$4 or observ\$7 or receiv\$4 or detect\$4) near4 ((periodic\$5 or regular\$3 or (predetermined adj (time or period or interval))))near6 message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 11:52
-	117	((application or program) near3 (watchdog or timer or counter))) and (((initiat\$4 or initiali\$7 or start\$4 or generat\$4 or send\$4)near6 (periodic\$5 or regular\$3 or (predetermined adj (time or period or interval))))near6 message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 12:03
-	21549	713/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 12:03
-	1180	713/\$.ccls. and ((application or program) near6 (timer or counter or watchdog))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 12:04
-	48	(713/\$.ccls. and ((application or program) near6 (timer or counter or watchdog))) and ((reset or restart)near4 (service or procedure))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 12:05

-	1	((713/\$.ccls. and ((application or program) near6 (timer or counter or watchdog))) and ((reset or restart)near4 (service or procedure))) and ((periodic\$4 or regular\$4 or (predetermined adj3 (time or period or interval)))near6 message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 12:08
-	37	((713/\$.ccls. and ((application or program) near6 (timer or counter or watchdog))) and ((reset or restart)near4 (service or procedure))) and ((periodic\$4 or regular\$4 or (predetermined adj3 (time or period or interval)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 12:27
-	2	5747641.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 12:28
-	2	5797641.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 12:28
-	2	5947641.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 12:28
-	1	5747641.pn.	USPAT	2004/10/25 07:21
-	1	5978939.pn.	USPAT	2004/10/25 09:05
-	3	(kernel adj mode)near4 watchdog	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 09:01
-	1	5978939.pn. and (USER near4 (reset or restart))	USPAT	2004/10/25 10:16
-	4	((restart or reboot)near4 (service or application or program))with (user adj mode)	USPAT	2004/10/25 10:18
-	3	((restart or reboot)near4 (service or application or program))with (user adj mode))and watchdog	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:21
-	5	((restart or reboot)near4 (service or application or program))with (user adj mode))and (timer or counter or watchdog)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:23
-	4	((message near3 pass\$4)near3 interface)near6 (shared adj memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:29
-	2	((message near3 pass\$4)near3 interface)near6 (shared adj memory)) and (watchdog or monitor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:39
-	2	((message near3 pass\$4)near3 interface)with ((two or multiple or plural\$4)adj3 (layer\$1 or level\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:30

-	5	((message near3 pass\$4)near3 interface) same ((two or multiple or plural\$4)adj3 (layer\$1 or level\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:33
-	3	4322966.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:36
-	3	4323966.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:38
-	646	ioctl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:52
-	96	ioctl and ((watchdog or monitor\$4)near4 (timer or counter or driver))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:44
-	110	ioctl and (kernel adj mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:40
-	25	(ioctl and ((watchdog or monitor\$4)near4 (timer or counter or driver))) and (kernel adj mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:40
-	98	(ioctl and (kernel adj mode)) and (user adj mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:40
-	22	((ioctl and ((watchdog or monitor\$4)near4 (timer or counter or driver))) and (kernel adj mode)) and (user adj mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:40
-	1	((((ioctl and ((watchdog or monitor\$4)near4 (timer or counter or driver))) and (kernel adj mode)) and (user adj mode)) and (restart adj (application or program or service)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:42
-	21	((((ioctl and ((watchdog or monitor\$4)near4 (timer or counter or driver))) and (kernel adj mode)) and (user adj mode)) and (respon\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:41
-	1	((((ioctl and ((watchdog or monitor\$4)near4 (timer or counter or driver))) and (kernel adj mode)) and (user adj mode)) and ((reset or restart or reboot) adj (application or program or service)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:42
-	7	ioctl and (software with ((watchdog or monitor\$4)near4 (timer or counter or driver)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:44
-	9	ioctl with ((watchdog or monitor\$4)near5 (driver or counter or timer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:55

-	580	((application or program) with ((watchdog or monitor\$4)near5 (driver or counter or timer)))same (restart or reboot or reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:57
-	521	((application or program) with ((watchdog or monitor\$4)adj5 (driver or counter or timer)))same (restart or reboot or reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:03
-	2	((application or program) with ((watchdog or monitor\$4)adj5 (driver or counter or timer)))same (restart or reboot or reset)) and ioctl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:58
-	454	((application or program) with ((watchdog or monitor\$4)adj5 (driver or counter or timer)))same (restart or reboot or reset)) and (control call)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 10:58
-	11	((application or program) with ((watchdog or monitor\$4)adj5 (driver or counter or timer)))same (restart or reboot or reset)) and (control adj call)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 12:04
-	42	((watchdog or monitor\$4)adj5 (driver or counter or timer))with kernel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:04
-	8	((watchdog or monitor\$4)adj5 (driver or counter or timer))with (kernel adj mode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:07
-	7	((watchdog or monitor\$4)adj3 (driver or counter or timer))same (kernel adj mode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 11:07
-	23	(detect\$4 nea3 restart\$4) with (((unresponsive or non\$responsive or ("not" near2 (respons\$5 or respond\$4)))near5 (application or program or software)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 12:26
-	4	((detect\$4 nea3 restart\$4) with (((unresponsive or non\$responsive or ("not" near2 (respons\$5 or respond\$4)))near5 (application or program or software)))) and (watchdog or monitor\$4)) and ((periodic\$4 or (regular adj interval))near4 message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 12:10
-	19	((detect\$4 nea3 restart\$4) with (((unresponsive or non\$responsive or ("not" near2 (respons\$5 or respond\$4)))near5 (application or program or software)))) and (watchdog or monitor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 12:25
-	4	((detect\$4 nea3 restart\$4) with (((unresponsive or non\$responsive or ("not" near2 (respons\$5 or respond\$4)))near5 (application or program or software)))) and (watchdog )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 12:25
-	1420	(application or program or software)near6 watchdog	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 12:26

-	6	(application or program or software)near6 (watchdog adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/25 12:27
---	---	---	---	---------------------